



UNITE DEPARTMENT OF COMMERCE

Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS

Washington, D.C. 20231

FILING DATE APPLICATION NO. FIRST NAMED INVENTOR ATTORNEY DOCKET NO. 09/613,154 06/30/00 LARSON В 20238.2RE **EXAMINER** PM82/0424 CARL M NAPOLITANO ART UNIT PAPER NUMBER ALLEN DYER DOPPELT MILBRATH & GILCHRIST P O BOX 3791 ORLANDO FL 32802 3617 **DATE MAILED:**

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

04/24/01





Application No.

09/613,154

Applicant(s)

Art Unit

3617

Larson et al

Office Action Summary

Examiner
Stephen Avila

NLING DATE of this communication appears on the cover sheet with the correspondence address --

The MAILING DATE Of this communication appears on t	ne cover sneet with the correspondence address
Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO	EXPIRE three MONTH(S) FROM
THE MAILING DATE OF THIS COMMUNICATION.	EXTINE WONTHO, THOM
- Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication	
- If the period for reply specified above is less than thirty (30) days, a re	
	d will apply and will expire SIX (6) MONTHS from the mailing date of this
communication. - Failure to reply within the set or extended period for reply will, by stat - Any reply received by the Office later than three months after the mai earned patent term adjustment. See 37 CFR 1.704(b).	
Status	
1) Responsive to communication(s) filed on 6/30/00	·
2a) \square This action is FINAL . 2b) \bowtie This action	is non-final.
3) Since this application is in condition for allowance exce closed in accordance with the practice under Ex parte	
Disposition of Claims	
4) 💢 Claim(s) <u>1-49</u>	is/are pending in the application.
4a) Of the above, claim(s)	is/are withdrawn from consideration.
5) Claim(s)	is/are allowed.
6) 💢 Claim(s) <u>1-49</u>	is/are rejected.
7) Claim(s)	is/are objected to.
8) Claims	are subject to restriction and/or election requirement.
Application Papers	
9) \square The specification is objected to by the Examiner.	
10) The drawing(s) filed on is/are obj	ected to by the Examiner.
11) The proposed drawing correction filed on	is: a)□ approved b)□ disapproved.
12) \square The oath or declaration is objected to by the Examiner.	
Priority under 35 U.S.C. § 119	
13) Acknowledgement is made of a claim for foreign priorit	ty under 35 U.S.C. § 119(a)-(d).
a) □ All b) □ Some* c) □ None of:	
1. Certified copies of the priority documents have be	een received.
2. Certified copies of the priority documents have be	en received in Application No
3. Copies of the certified copies of the priority docur application from the International Bureau (*See the attached detailed Office action for a list of the ce	PCT Rule 17.2(a)).
14) Acknowledgement is made of a claim for domestic price	
Attachment(s) 15) Notice of References Cited (PTO-892) 18)	Interview Symposius (DTO 412) Person No.(4)
-	Interview Summary (PTO-413) Paper No(s). Notice of Informal Patent Application (PTO-152)
7	Other:

Application/Control Number: 09613154

Art Unit: 3617

ĩ,

- 1. The protest filed December 23, 2000 has been fully considered. With respect to the art cited in the Protest, specifically in section III B of the Protest, the patented claims define over the listed art.
- 2. Applicant's amendment to the application by adding the following to the specification is improper:

"This Application is a Continuation-in-Part of and incorporates by reference Application Serial Number 29/078494, filed October 27, 1997 and issuing as United States Patent No. Des. 409,972 of May 18, 1999, all of which are commonly owned and assigned."

Note that in Applicant's response to the Protest filed February 23, 2001, Applicant points to *Vas-Cath, Inc. V. Mahurkar, 19 USPQ 2d 1111*. It is stated that "the Court found that these specific limitations were still sufficiently disclosed in the original design application drawings." However, the claims in the '350 patent are not supported by the design drawings. Specifically, with respect to claim 33, "for a performer using a water sport implement and being towed behind a vessel while maintaining the stability of the vessel, the vessel having a bow, a stern, opposing sides extending from the bow to the stern, and an operator station located amidships between the opposing sides" (lines 1-6) and "for fitting to the sides across the beam of the vessel at a point amidships substantially above the level of the operator station" (lines 7-15) are not supported in the design drawings.

3. Applicant's amendment to Incorporate by Reference the Application for the '972 Design Patent appears to introduce new matter. No new matter may be introduced into the reissue

Application/Control Number: 09613154

Art Unit: 3617

·s-7

application. The seven figures contained in the '972 Design Patent were not contained in the '350 patent and are new matter.

4. The reissue oath/declaration filed with this application is defective (see 37 CFR 1.175 and MPEP § 1414) because of the following:

The errors relied upon including priority to Application 29/078494 is not proper.

5. Claims 1-49 are rejected as being based upon a defective reissue declaration under 35 U.S.C. 251 as set forth above. See 37 CFR 1.175.

The nature of the defect(s) in the declaration is set forth in the discussion above in this Office action.

- 6. The original patent, or an affidavit or declaration as to loss or inaccessibility of the original patent, must be received before this reissue application can be allowed. See 37 CFR 1.178.
- 7. While there is concurrent litigation related to this reissue application, action in this reissue application will NOT be stayed because of applicant's request that the application be examined at this time. Due to the related litigation status of this reissue application, EXTENSIONS OF TIME UNDER THE PROVISIONS OF 37 CFR 1.136(a) WILL NOT BE PERMITTED.
- 8. Direct telephone inquiries concerning this communication to **Stephen Avila**, at telephone number (703) 308-2578.

The fax number for Technology Center 3600 is (703) 305-7687. Fax responses are encouraged, especially after final rejections.

The examiner's supervisor, Joseph Morano, can be reached at (703) 308-0320.

Art Unit: 3617

Inquiries of a general nature or relating to the status of this application should be directed to the Technology Center receptionist at (703) 308-1113.

AVILA:sa April 23, 2001

Stephen Avila Primary Examiner Art Unit 3612

1/53/01